

REPORT DOCUMENTATION PAGE				Form Approved OMB NO. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>					
1. REPORT DATE (DD-MM-YYYY) 07-08-2009		2. REPORT TYPE Final Report		3. DATES COVERED (From - To) 1-Jun-2005 - 31-May-2008	
4. TITLE AND SUBTITLE Adaptive Design for Sensitivity Experiments and Related Problems			5a. CONTRACT NUMBER W911NF-05-1-0264		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER 611102		
6. AUTHORS C. F. Jeff Wu, Roshan Joseph Vengazhiyil			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAMES AND ADDRESSES Georgia Tech Research Corporation Office of Sponsored Programs Georgia Tech Research Corporation Atlanta, GA 30332 -0415				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211				10. SPONSOR/MONITOR'S ACRONYM(S) ARO	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) 45186-MA.6	
12. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.					
14. ABSTRACT The main goal of this research is to develop novel methodologies in the design and modeling of sensitivity testing and related experiments, which are commonly encountered in military applications. The research has progressed well with four papers accepted and scheduled to appear, one tentatively accepted and one under review. Paper 1 proposes a new sequential procedure for root finding in highly nonlinear situations. Paper 2 addresses the modeling and data combination from experiments with varying degrees of accuracy (e.g., in explosive testing, a finite					
15. SUBJECT TERMS Adaptive designs, Bayesian methods, Computer modeling, Latin hypercube designs, Feedback control					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON C.F. Wu
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER 404-385-4262

Statement of the problem and summary of the most important results

Adaptive designs for stochastic root-finding are very useful for sensitivity testing. Paper 1 proposes a new adaptive design procedure using Bayesian methods. Different from Wu's MLE procedure (which was funded by ARO to the U of Wisconsin in mid-80's), this new procedure gives more importance to observations closer to the root, making it more robust to the model misspecifications. The convergence of the new procedure is proved analytically and its superiority over the existing procedures is demonstrated using simulations. With the advances in computing and sophisticated physical models, use of computer modeling has become popular as an alternative to physical experiments or field tests. For example, to understand the conditions (e.g., temperature, storage density, age) under which a stockpile of ammunition can explode, there is a limit on how many actual field tests can be performed. This explosive mechanism can be described by a physical model and implemented in a finite element analysis code. How to efficiently integrate data from two sources, one with more accuracy (i.e., field test data) and another with less accuracy but much faster (i.e., computer model)? Paper 2 proposes a novel Bayesian approach to model and integrate such data sources. Because the relationship between the response and the input variables in computer models is highly nonlinear, traditional experimental design technique like fractional factorials cannot be used. Paper 3 proposes a new class of Latin Hypercube designs with orthogonal and maximin properties. Feedback control is a technique commonly used in military applications. Paper 4 gives the first systematic attempt to connect feedback control with robust parameter design which has proven very powerful in improving industrial quality but less used in the military arena. In most sensitivity testing experiments, the response is binary (e.g., penetrate or not). In a 2004 paper by Joseph and Wu (co-PI and PI) which won the Jack Youden Prize, a new method for binary response called FAME was proposed. Paper 5 studies the modeling and analysis strategies of this method more generally and in depth. Paper 6 proposes a new sequential design method for detecting money laundering. This topic is very important to the security of the nation because, money laundering often involves criminal activities including terrorism. These papers collectively can lead to a better understanding of several related problems and provide novel and more efficient methodologies with immediate or potential military applications.

Bibliography

1. Joseph, V. R., Tian, Y., and Wu, C. F. J. (2007) "Adaptive Designs for Stochastic Root-Finding," *Statistica Sinica*, 17, 1549-1565.
2. Qian, Z. and Wu, C. F. J. (2008) "Bayesian Hierarchical Modeling for Integrating Low-accuracy and High-accuracy Experiments," *Technometrics*, 50, 192-204.
3. Joseph, V. R. and Hung, Y. (2008) "Orthogonal-Maximin Latin Hypercube Designs," *Statistica Sinica*, 18, 171-186.

4. Dasgupta, T. and Wu, C. F. J. (2006) "Robust Parameter Design with Feedback Control," *Technometrics* 48, 349-360.
5. Jeng, S-L., Joseph, V. R., and Wu, C. F. J.(2008) "Modeling and Analysis for Failure Amplification Method," *Journal of Quality Technology*, 40, 128-139.
6. Deng, X., Joseph, V.R., Sudjianto, A., and Wu, C. F. J. (2009) Active Learning via Sequential Designs with Applications to Detecting Money Laundering. Accepted for publication in *Journal of the American Statistical Association*.